

L Number	Hits	Search Text	DB	Time stamp
-	1024	data and translat\$ and standard\$ adj format and content and device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 09:46
-	2	data and translat\$ and standard\$ adj format and content and device and XML and XSL near style near sheets	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:36
-	216	data and translat\$ and standard\$ adj format and content and device and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:36
-	20	data and translat\$ and standard\$ adj format and content and device and XML and XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:56
-	2	data near translat\$ same standard\$ adj format and content and device and XML and XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:57
-	22	data near translat\$ same standard\$ adj format same data and content and device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:57
-	956	709/246.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 09:46
-	195	709/246.ccls. and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 09:46
-	161	709/246.ccls. and XML and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 09:47
-	152	709/246.ccls. and XML and content and device\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 09:47
-	71	709/246.ccls. and XML and content and device\$ and translat\$ and transfo\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 09:47
-	40	709/246.ccls. and XML and content and device\$ and translat\$ and transfo\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 09:48
-	2	("5557780").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:22
-	0	719/300.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:22

-	542	719/310.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:29
-	0	creat\$ near java near binding\$ and document near type near definition and wrappin and method and class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:30
-	0	creat\$ near java near binding\$ and document near type near definition and wrappin and method and class and method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:30
-	0	creat\$ near java near binding\$ and document near type and definition\$ and wrappin\$ and method and class and method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:31
-	0	creat\$ near java near binding\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:30
-	1	java near binding\$ and document near type and definition\$ and wrappin\$ and method and class and method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:31
-	4	java near binding\$ and document near type and definition\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 11:31
-	12760	content with devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:50
-	11	content with devices and translator and transformer and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:03
-	108	transla\$ with standard\$ near format and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:26
-	1	transla\$ with standard\$ near format and content and transform near format and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:26
-	3	transla\$ with standard\$ near format and content and transform near format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:26
-	812	server with translat\$ with format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:41
-	39	server with translat\$ with format and server with transform\$ with format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:45

-	31	wireless with content with deploy\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:45
-	137	transfor\$ same translat\$ same data same content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:53
-	14	transfor\$ same translat\$ same data same content same devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:55
-	136577	format with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:55
-	2150	format with data and translat\$ with standar\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:56
-	335	format with data and translat\$ with standar\$ and content and transfor\$ with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:56
-	222	format with data and translat\$ with standar\$ and content and transfor\$ with data and receiv\$ and convert	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:57
-	72	format with data and translat\$ with standar\$ and content and transfor\$ with data and receiv\$ and convert and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:21
-	759	((standard\$ near format same translat\$) or (standard\$ near format same transfor\$)) and device\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:23
-	23	((standard\$ near format same translat\$) and (standard\$ near format same transfor\$)) and device\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:23
-	319	((standard\$ near format with translat\$) or (standard\$ near format with transfor\$)) and device\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:24
-	53	((standard\$ near format with translat\$) or (standard\$ near format with transfor\$)) and device\$ and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:31
-	10	("5299304" "5713014" "5911776" "5970490" "6012098" "6151608" "6236997" "6263332" "6324568" "6336124").PN.	USPAT	2004/04/29 13:25
-	3	standard\$ near format same translat\$ same transform and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:31

-	983	translat\$ and transfor\$ and convert and standard\$ with format and content and content with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:52
-	418	translat\$ and transfor\$ and convert and standard\$ with format and content and content with data and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:52
-	1	translat\$ and transfor\$ and convert and standard\$ with format and content and content with data and XML and receiv\$ with dat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:52
-	385	translat\$ and transfor\$ and convert and standard\$ with format and content and content with data and XML and receiv\$ with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:53
-	0	translat\$ and transfor\$ and convert and standard\$ with format and content and content with data and XML and receiv\$ with data and tranform\$ with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:53
-	0	translat\$ and transfor\$ and convert and standard\$ with format with dad and content and content with data and XML and receiv\$ with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:54
-	67	translat\$ and transfor\$ and convert and standard\$ with format with data and content and content with data and XML and receiv\$ with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 14:36
-	302	translat\$ and transfor\$ and convert and standard\$ with format and XML and content and proxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 14:37
-	294	translat\$ and transfor\$ and convert and standard\$ with format and XML and content and proxy and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 14:37
-	174	translat\$ and transfor\$ and convert and standard\$ with format and XML and content and proxy and wireless and translat\$ with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 14:37
-	3	translat\$ and transfor\$ and convert and standard\$ with format and XML and content and proxy and wireless and translat\$ with data with standard\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:16
-	0	("5430727andswitch\$").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:17
-	71	"5430727" and switch\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:17
-	2	("5430727").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:43

-	10	data and content near data and standard\$ with format with (translat\$ or convert) and transform\$ with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:46
-	277	network and wireless and convert near data with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:47
-	33	network and wireless and convert near data with device and XML and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:50
-	6	network and convert near data with devices and content and translat\$ and transform\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:53
-	1	translat\$ with standard\$ with format and interface with data with content and transform\$ with content with device\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 16:53
-	2	("6430642").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 16:53
-	2	("6430624").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:43
-	0	message adj key same content and action and identifier and broker and quote and request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:44
-	0	message adj key and action and identifier and broker and quote and request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:44
-	560	XSL with stylesheet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:25
-	113	XSL with stylesheet and query\$ with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:25
-	90	XSL with stylesheet and query\$ with database and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:29
-	26	XSL with stylesheets and query\$ with database and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:32
-	2	XSL with stylesheet\$ and query\$ with provider with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:37

-	0	XSL with stylesheet\$ and query\$ with provider with database with new	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:38
-	36	XSL with stylesheet and query\$ with databases and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:40
-	4	XSL with styleshee\$ with two and order and sequent\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:39
-	59	XSL with stylesheet\$ with (receiv\$ or request\$) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:48
-	0	XSL with stylesheet\$ with (query\$) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:50
-	4	XSL with stylesheet\$ with (query\$) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:48
-	1	XSL with stylesheet\$ with two and XSL same sequential\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:52
-	3	XSL with stylesheet\$ same sequential\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:04
-	577	XSL with stylesheet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:11
-	18	XSL with stylesheet\$ with order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:10
-	0	XSL with style with sheet\$ with sequent\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:10
-	400	XSL with style with sheet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:10
-	18	XSL with stylesheet\$ with two	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:18
-	0	XSL with stylesheet\$ with two near (apply or applied)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:18

-	10	XSL with stylesheets with (apply or applied)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:34
-	22	XSL with stylesheets with (multiple or plurality or groups)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:39
-	22	XSL with stylesheets with (multipl\$ or plural\$ or groups)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:39
-	1	XSL with stylesheets with (three)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:40
-	23	XSL with stylesheets with (many or multipl\$ or plural\$ or group\$ or mass) and order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:42
-	11	XSL with style with sheets with (many or multipl\$ or plural\$ or group\$ or mass) and order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:44
-	38	XSL and order with (sequentially or independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:45
-	74	XSL and order with (sequential\$ or independent\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:45
-	9	XSL with sheets and order with (sequential\$ or independent\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:49
-	2	XSL with sheets and applied and order with (sequential\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:47
-	7464	sheets and order with (sequential\$ or independent\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:49
-	7	stylesheets and order with (sequential\$ or independent\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:52
-	0	stylesheets and order with sequential\$ and order with independent\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:52
-	99121	style sheets and order with sequential\$ and order with independent\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:52

-	8	style with sheets and order with sequential\$ and order with independent\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:53
-	20	query with database same XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:59
-	0	("9027768").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:59
-	0	"9027768"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:59
-	2	"09027768"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:59
-	20	query with database same XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:00
-	25	query same database same XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:05
-	11	XSL with (stylesheet or (style with sheet)) same query same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:09
-	109	XSL with (stylesheet or (style with sheet)) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:10
-	24	XSL with (stylesheet or (style with sheet)) with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:16
-	1	XSL with (stylesheet or (style with sheet)) with (request\$ or receiv\$) with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:21
-	1	(multiple or plurality) with content adj providers and request\$ and composit\$ with web near page	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:23
-	1	(multiple or plurality) with content adj providers and composit\$ with web near page	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:24
-	23	(multiple or plural\$) with (content adj providers or sources) and composit\$ with web near page	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:53

-	2	("5899975").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:42
-	0	"5899975" and style\$sheet\$ and order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:15
-	2	"5899975" and style\$sheet\$ and order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:15
-	913	style\$sheet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:18
-	809	style\$sheet\$ and (transfor\$ or translat\$ or convert\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:19
-	30	(style\$sheet\$ and (transfor\$ or translat\$ or convert\$)) and order with sequential\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:19
-	1	provider with database with style\$sheet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:44
-	5	content with database with style\$sheet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:45
-	1	(retriev\$ or receiv\$ or request\$ or query\$) near database with style\$sheet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:48
-	1	(retriev\$ or receiv\$ or request\$) near database with style\$sheet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:48
-	2	(retriev\$ or receiv\$ or request\$) near database with XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:48
-	10	(retriev\$ or receiv\$ or request\$) with database with XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:49
-	3	(retriev\$ or receiv\$ or request\$) with databases with XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:50
-	36	(retriev\$ or receiv\$ or request\$) with XSL same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:51

-	14	(retriev\$ or receiv\$ or request\$) with XSL same databases	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 17:01
-	3	(retriev\$ or receiv\$ or request\$) with style\$sheet\$ same databases	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:54
-	1	content with provider\$ same databases and databases with XSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:56
-	7	XSL with content same provider	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:58
-	5	XSL with content same provider and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:58
-	24	(retriev\$ or receiv\$ or request\$) with XSL and content near provider\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 17:01